



NCX_ NO-CAM RACE



ENGINEERED FOR PERFORMANCE, THE NCX CONTINUES TO DEFINE THE NO-CAM RACE CATEGORY.

A direct descendant of the Mach race sail program, the NCX blends the design concepts that maximise speed, power, and stability with the user-friendliness of a no-cam sail:

- XR (Xtended Range) was developed to increase wind-range at both the lower AND higher ends: deeper, more powerful profiles are locked in place with added skin tension to enhance control and stability.
- Open leech. Twist patterns are taken directly from the latest World-Cup designs.
- Geometry. Longer boom lengths deliver more backhand pressure for acceleration on demand.

IT'S RIGHT FOR YOU IF...

You want performance WITHOUT cams. Top end speed and stability are your main priorities.

THE TECH YOU GET.

- Race construction – graded monofilm for stability and max performance. Multiple tube battens.
- SpiderFibre reinforcements.
- Precision manufacture.
- Gradient Panel Technology - lighter weight, better stability, and increased longevity.

THE FINAL WORD.

No-cam race. The NCX delivers explosive performance in a very user-friendly package.

NCX VS GATOR

NCX is faster, and more stable in high-end conditions.

NCX feels more locked in.

NCX has a more responsive construction for high performance.

NCX VS MOTO

NCX does not have cambers.

NCX feels less locked in

NCX ULTIMATE SETUP

BOARD: The FOX perfectly matches the NCX geometry and performance.

MAST: The RDM Red mast maximizes performance.

BOOM: Enigma booms are the best you can get. All sizes fit on an Enigma 160.

EXTENSION: A carbon Triple Xtension makes downhauling easy, and geometry matches perfectly.



/ RACE CONSTRUCTION
/ GRADIENT PANEL TECHNOLOGY
/ XTENDED RANGE TECHNOLOGY
/ 7-BATTEN DESIGN
/ ALL SIZES FIT ON ENIGMA 160 BOOM



SIZES 5.0 / 5.4 / 5.8 / 6.3 / 6.7 / 7.2 / 7.6 / 8.2



STEFAN EDITMAYER
LANZAROTE, SPAIN

MOTO, FOX

PHOTO: KUROSH KIANI

XTR

EXTENDED RANGE

An Xtended Range for each sail size allows for bigger gaps in your quiver.

Choose your favorite sail and then skip a size up or down to broaden your wind range.



SPECIFICATIONS_NCX

SIZE	COMPARED TO PREVIOUS NCX	WEIGHT	LUFF	BOOM	RECOMMENDED-MAST	RECOMMENDED BOOM	FOX
5.0	4.5 / 5.0	TBC	TBC	TBC	SEVERNE 370/400	ENIGMA 160	95
5.4	5.0 / 5.5	TBC	TBC	TBC	SEVERNE 400	ENIGMA 160	95
5.8	5.5 / 6.0	TBC	TBC	TBC	SEVERNE 400/430	ENIGMA 160	95 / 105
6.3	6.0 / 6.5	TBC	TBC	TBC	SEVERNE 430	ENIGMA 160	95 / 105
6.7	6.5 / 7.0	TBC	TBC	TBC	SEVERNE 430	ENIGMA 160	95 / 105 / 115
7.2	7.0 / 7.5	TBC	TBC	TBC	SEVERNE 430/460	ENIGMA 160	105 / 115 / 125
7.6	7.5 / 8.0	TBC	TBC	TBC	SEVERNE 460	ENIGMA 160	115 / 125 / 135
8.2	8.0 / 8.5	TBC	TBC	TBC	SEVERNE 460	ENIGMA 160	125 / 135

* SPECS SUBJECT TO CHANGE



STEFAN LEDTMAYER
LANZAROTE, SPAIN

NCX, FOX

PHOTO: KUROSH KIANI